

COLOR HAS MET ITS MATCH

IMS 3.0
Ink Management
System

USER MANUAL



Introduction

Ink Management Software (IMS) has been an essential component in textile ink rooms since the late 1980s when the first pigment concentrates (PC) systems were introduced. Using color systems offer a simple, efficient method to achieve Pantone® simulations and develop custom color. Every day, printers around the world count on the IMS 3.0 system to help them save time and money throughout the production process.

IMS 3.0, a proprietary color formulation software from Avient Specialty Inks, is a cloud-based solution for managing color and inventory in the textile screen printing market.* Offering tools for color creation and standardizing, IMS 3.0 manages daily maneuvers in a highly functional ink room by providing color management and communication agility. Color chip images appear with formulations to help with visual communication. Emailing of formulas and reporting will also feature the color display. The new platform and updated functionality will continue to add functional support and innovation to the concept of total ink room management.

From consistent, repeatable color matches in the ink room to smooth running inks on press, Avient color systems deliver the results that printers trust to grow their business. IMS 3.0 improves three critical areas of ink room functionality.

How Can IMS 3.0 Improve Your Ink Room Management?

Communication	<ul style="list-style-type: none">• Provides expanded communication methods• Creates customized labeling• Offers visual color display• Accessible in the cloud, providing sharable formulas
Consistent Quality = Productivity and Repeatability	<ul style="list-style-type: none">• Approve more colors• Filters advanced options• Applies user preferences• Automates ink room management

* Not all features are available for all brands.



TABLE OF CONTENTS


- INSTALLATION 4**
 - Installing IMS 3.0 4
 - Hardware Environment 4
- GETTING STARTED 4**
- INTERFACES 5**
 - Main Interface Navigation 5
- BLENDING INTERFACE 5**
 - Blending Interface Navigation 6
 - Blending Interface Formula Options 6
 - Formula Selector & Ingredient Table 6
 - Blending Interface Features 7
 - Create A New Formula 7
 - Clone A Formula 8
 - Print A Formula 9
 - Email A Formula 10
 - Print A Label 11
 - Calculate Ink Cost 12
 - Calculating Ink Cost: Grams Per Print 12
 - Calculating Ink Cost: Print Area 12
 - Calculating Ink Cost: Ink Amount 12
 - Change Units of Measurement 12
- SETTINGS INTERFACE 17**
 - Settings Interface Navigation 17
 - Settings Tabs 17
 - Settings Interface Features 17
 - General Settings 18
 - Reset Password 18
 - Set Up Supplier Code 19
 - Import Formulas 19
 - Access New Formulas 20
 - Blending Settings 20
 - Setting Blending Defaults 21

INSTALLATION

INSTALLING IMS 3.0

The IMS 3.0 download is available to Avient color system users by registering on the IMS 3.0 site. The following three steps will guide you through a successful installation.

1. To install IMS 3.0 on a Windows system, go to <http://ims3.azurewebsites.net/Account/Login>
2. Enter your login credentials
3. Download



4. Once the download is complete, open the software and log back in using the same credentials to access the system

HARDWARE ENVIRONMENT

REQUIREMENT	DESCRIPTION
Processor	x86 or x64 1 GHz Pentium processor or equivalent (minimum); 1 GHz Pentium processor or equivalent (recommended)
RAM	512 MB (minimum); 1 GB (recommended)
Hard Disk	Up to 1.5 GB of available space may be required
Display	800 x 600, 256 colors (minimum); 1024 x 768 high color, 32-bit (recommended)
Internet	Internet accessible

GETTING STARTED

Filters	Apply all filters and set up default values and printers
Pantone® Numbers	Enter number exactly as it appears in the Pantone Formula Guide (i.e. 032 C is Orange 032 C, entering a space between C or U)
Custom Color Search	Select User Formula button in upper left corner
Creating Custom Palette/ Modifying Standard Colors	Begin formula search in the User Formula area; if a custom color is not found, select the Standard Formulas radio button to begin a new search
Printers, Labels and Scanners	<ul style="list-style-type: none"> • Choose any printer with a Windows driver • Use label stock best suited for selected printer • Scan using a single line hand-held laser device

INTERFACES

The IMS 3.0 has four main interfaces: blending, communication, inventory and settings. This section will outline each of the four interfaces and their features.

MAIN INTERFACE NAVIGATION

The navigation panel is the first element in the user interface. This navigation bar remains throughout the software.



1. Four tabs quickly switch between the Blending, Communication, Inventory and Settings interfaces
2. Color Systems Selection, Logout, About, Refresh, Minimize, Full Screen and Close buttons
3. Displays the current Color System in use

Blending Interface

The blending interface is the first user interface shown upon starting the software.

PANTONE 485 C AP				EST. COST / KG \$0.00	
TYPE	MATERIAL DESCRIPTION	GRAMS	PERCENT		
MIX INK	M36446 NPT HO SCARLET M3	611.60	61.16%		
MIX INK	ES0840 NPT S.H.A.P.E. BASE	289.70	28.97%		
MIX INK	M39256 NPT HO WHITE M3	79.00	7.90%		
MIX INK	M36447 NPT HO RED M3	19.70	1.97%		
				FORM. TOTAL 1000.00 g	

BLENDING INTERFACE NAVIGATION


Below is a labeled image of the Blending Screen Bar with function descriptions.



1. Create a new formula
2. Clone a formula
3. Print a formula
4. Email formula
5. Print a label
6. Calculate a formula cost
7. Blend a formula

BLENDING INTERFACE FORMULA OPTIONS


Below is a labeled image of the formula options with function descriptions.



1. Toggle between a list of standard formulas and a list of formulas you have created (User Formulas)
2. Create filters to manage your database and select your desired weight
3. Create user references to your formulas; references are useful for searching and organizing information (suggestions are customer, shirt style and job number)

FORMULA SELECTOR & INGREDIENT TABLE

Below is a labeled image of the Formula Selector and its associated ingredients and weights.




1. The Formula Selector uses a carousel to scroll through a selection of colors. Scroll using the left and right arrow keys while on the Formula Selector or by clicking one of the visual color chips.
2. Formula details are displayed in the table, including: Formula Type, Material Description, Material Code, Weight in grams (default), as well as the percentage of each ingredient found in the mix.

BLENDING INTERFACE FEATURES


This section will cover each function available within the Blending Interface, beginning with new formula creation.

Create a New Formula

1. Click the “New Formula” button on the Blending Screen bar.

A dialog box titled 'New Formula Screen' with a close button (X) in the top right corner. It contains several input fields: 'FORMULA CODE' (a text box), 'DESCRIPTION' (a text box), 'BASE TYPE' (a dropdown menu), and 'REFERENCES (OPTIONAL)' (four numbered text boxes). To the right of the 'DESCRIPTION' field is a 'COLOR' selection area with a color swatch and a pencil icon. At the bottom right, there are two circular buttons: a green one with a white checkmark and a red one with a white 'no' symbol. A blue arrow points upwards to the green checkmark button.


2. Selecting the “New Formula” button will prompt a dialog box to input details about the formula you are creating, including formula code, description, base type, references (optional) and color.

3. Once you have entered the required fields, click the  button at the bottom of the panel. You will be redirected to “User Formulas”, which will display the newly created formula. From this screen, you can add or remove ingredients, edit or delete your formula.



CLONE A FORMULA

1. To clone a formula, first select the target formula from the carousel.



2. Click the “Clone Formula” button on the Blending Screen navigation bar.




3. A dialog box will appear with pre-populated values. Add the Formula Code and Description inputs and add references to the newly cloned formula.
4. Click the “Finish” button at the bottom of the dialog box.
5. The User Formulas will appear with the newly cloned mix.
6. Add, remove, edit or delete clone if needed.

TYPE	MATERIAL DESCRIPTION	GRAMS	PERCENT	
MIX INK	M36446 NPT HO SCARLET M3	611.60	61.16%	🗑️
MIX INK	ES0840 NPT S.H.A.P.E. BASE	289.70	28.97%	🗑️
MIX INK	M39256 NPT HO WHITE M3	79.00	7.90%	🗑️
MIX INK	M36447 NPT HO RED M3	19.70	1.97%	🗑️

FORM. TOTAL 1000.00 g

PRINT A FORMULA


1. Select the formula from the Formula Selector.



2. Click the Print Formula button on the Blending Screen navigation bar.




3. A dialog box will appear with a prompt to confirm choice. Click OK.
4. Select printer and click the Print button.




EMAIL A FORMULA

1. Click the “Email Formula” button on the Blending Screen navigation bar.




2. Your email client will open a new window with the formula added as an attachment
3. Enter all relevant information and click 




PRINT A LABEL


1. Select the target color from the Formula Selector.




2. Click the Print Label button on the Blending Screen navigation bar.



3. A dialog box will appear with a prompt to confirm choice. Click 



4. Select printer and click the Print button.



CALCULATE INK COST

There are three modes to calculate ink costs within the Blending Interface.

- A. Actual: calculates the cost based upon actual ink deposit
- B. Theoretical: calculates the cost based upon theoretical ink deposit of screen mesh and image size
- C. Specify Amount: calculates the cost based upon a specified amount of ink


1. Select the target formula from the Formula Selector.

TYPE	MATERIAL DESCRIPTION	GRAMS	PERCENT
MIX INK	M36446 NPT HO SCARLET M3	611.60	61.16%
MIX INK	ES0840 NPT S.H.A.P.E. BASE	289.70	28.97%
MIX INK	M39256 NPT HO WHITE M3	79.00	7.90%
MIX INK	M36447 NPT HO RED M3	19.70	1.97%

2. Click the Calculate button on the Blending Screen navigation.



3. Choose a mode from the navigation drop down menu:
 - a. Grams/Print: calculates actual ink deposit
 - b. Print Area: calculates theoretical ink deposit of screen mesh and image size
 - c. Specify Amount: calculates specified amount of ink




Calculating Ink Cost: Grams Per Print

Grams per print estimation is referenced by the actual cost estimation. This calculation is based upon the weight of the ink on the garment multiplied by the number of units/prints.

1. Determine the weight of a print
 - a. Cut two pieces of cloth of equal size
 - b. Weigh and record the unprinted pieces
 - c. Print the image on the second piece of cloth and weigh before curing ink
 - d. The difference between the two pieces of cloth represents the actual ink on the garment*

*Note: this does not include ink for the ink well or flood stroke
2. Select the Grams/Print mode from the drop-down menu




3. Complete details on the left panel, including the weight in grams per print, as well as the number of prints.
4. The ingredient table displays the amount of each ingredient needed to fill the batch requirement.
5. Click the Finish button to redirect back to the Blending Screen with new formula, updated base total and material weights.



Calculating Ink Cost: Print Area

Print area estimation is referenced by the theoretical ink deposit of screen mesh and image size.

1. Select the Print Area mode from the drop-down menu



2. Complete details on the left panel, including number of prints, height, width, mesh per inch and coverage.

1 # OF PRINTS

2 HEIGHT WIDTH

3 MESH PER INCH

4 PERCENT COVERAGE

3. The ingredient table displays the amount of each ingredient needed to fill the batch requirement.
4. Click the Finish button to redirect back to the Blending Screen with new formula, updated base total and material weights.


TYPE	MATERIAL DESCRIPTION	GRAMS	PERCENT
MIX INK	M36446 NPT HO SCARLET M3	541.68	61.16%
MIX INK	E50840 NPT S.H.A.P.E. BASE	256.58	28.97%
MIX INK	M39296 NPT HO WHITE M3	69.97	7.90%
MIX INK	M36447 NPT HO RED M3	17.45	1.97%

FORM. TOTAL 885.68 g


Calculating Ink Cost: Ink Amount


Ink amount estimation is referenced by the calculated cost based upon a specified amount of ink.

1. Select the Ink Amount mode from the drop-down menu



2. Enter the target amount of ink in Ink Amount field on the left panel.
3. The Batch Amount, Batch Cost, Cost per kg and Cost per Print will update based upon the Ink Amount target.




4. Click the  button to redirect back to the Blending Screen with new formula, updated base total and material weights.

Change Units of Measurement

Several units of measurement are available to calculate cost.

1. Click either the weight or measuring tape icon to change the unit of measurement.




2. Select desired unit to update all cost estimates.



SETTINGS INTERFACE

IMS 3.0 has several different settings, each designed to enhance user experience.




SETTINGS INTERFACE NAVIGATION



1. Click Apply Changes to save any changes made within the Settings Interface
2. Reset setting to default configuration


SETTINGS TABS



1. Open General Settings
2. Open User Settings
3. Open Blender Settings
4. Open Inventory Settings

SETTINGS INTERFACE FEATURES

This section outlines configurable settings within IMS 3.0. To save and apply any changes made in this tab, click the Apply Changes button on the Settings Interface Navigation.




GENERAL SETTINGS

Customize color scheme, set up a supplier code, import formulas and access new formulas using General Settings. An introductory video opens upon loading the software.

Reset Password

To reset a password, follow the steps below.


1. Click the Reset Password button inside the User Settings Tab



The screenshot shows the 'SETTINGS' tab in the IMS 3.0 software. On the left, there is a sidebar with three tabs: 'GENERAL', 'USER', and 'BLENDING'. The 'USER' tab is selected. The main content area is titled 'User Information' and contains the following fields:

USER NAME	Steven Foster
COMPANY NAME	Calgary Scale Services Ltd.
E-MAIL ADDRESS	steven@calgaryscale.com
PASSWORD SETTINGS	<input type="button" value="RESET PASSWORD"/>
SUPPLIER CODE	<input type="button" value="SETUP CODE"/>

2. Enter email address when the IMS 3.0 website appears



The screenshot shows the 'Forgot Your Password?' form on the IMS 3.0 website. The form includes the following elements:

- IMS 3.0 logo and navigation links (Register, Log in, IMS 3.0, About, Contact).
- Text: **Forgot Your Password?** Use the form below to reset your password.
- Text: We will send password reset instructions to the email address associated with your account.
- Text: Email address
- Input field for the email address.
- Send instructions button.

3. Follow instructions to reset password from email


Set Up Supplier Code

A supplier code is useful to share a database with another login, ideally across multiple print locations under one company or brand.

1. Click the Setup Code button within the User Settings tab



2. Enter supplier code into the New Supplier Code field in the prompt box




3. Click 


Import Formulas

This function applies to formulas exported from IMS version 7.54 using the default file extension.ims.

1. Click the Import Formulas button within the User Settings Tab



2. Enter the file path of the target import database
3. Click Open and formulas will load into the software




Access New Formulas


Follow the steps below to access formulas from different suppliers.

1. Click the pencil icon underneath Access New Formulas within the User Settings Tab




2. Validate the supplier code by re-entering the unique code in the prompt box



3. Click  to access the supplier's formulas

Blending Settings

Set default configurations for Default Color System, Default Base Type, Default Formula Weight, Chip Owner Tag, Default Label Printer, Scale COM Ports and DM4 COM ports within the Blending Settings tab.




Setting Blending Defaults

Before implementing IMS3.0, set blending defaults to save time. The following defaults provide guidance for use.

1. Default Base Type: used for systems that require base and colorant
2. Default Formula Weight: used with a standard mix quantity at all times
3. Chip Owner Tag: the name that appears on a user formula color chip to identify the chip if sharing formulas (the identifier will differ from one user to another when browsing the color chip carousel)



4. Default Label Printer: preferred printer (any Microsoft® Windows printer may be used and configured to print labels or reports)
5. Scale Com Port: used when communicating IMS 3.0 to the Sartorius® PMA 7500 family of scales (default settings shown below)



6. Mix Grid View: used when creating a new user formula (when entering formula components within the blending screen, the Mix Grid View accepts materials by Material Code or Material Description)

Mix Grid Set by Material Code

User Mix 485 C AP Clone					EST. COST / KG \$0.00
TYPE	MATERIAL DESCRIPTION	GRAMS	PERCENT		
● MIX INK	M36446 NPT HO SCARLET M3	611.60	61.16%		
● MIX INK	ES0840 NPT S.H.A.P.E. BASE	289.70	28.97%		
● MIX INK	M39256 NPT HO WHITE M3	79.00	7.90%		
● MIX INK	M36447 NPT HO RED M3	19.70	1.97%		
●	NPT HO ORANGE M3		%		

Mix Grid Set by Material Description

User Mix 485 C AP Clone					EST. COST / KG \$0.00
TYPE	MATERIAL DESCRIPTION	GRAMS	PERCENT		
● MIX INK	M36446 NPT HO SCARLET M3	611.60	61.16%		
● MIX INK	ES0840 NPT S.H.A.P.E. BASE	289.70	28.97%		
● MIX INK	M39256 NPT HO WHITE M3	79.00	7.90%		
● MIX INK	M36447 NPT HO RED M3	19.70	1.97%		
●	M35100		%		

7. Click Apply Changes button on the Settings Interface Navigation to save and apply changes



1.844.4AVIENT
www.avient.com



Copyright © 2023, Avient Corporation. Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.